


Berlin Studio 1

PRG Cinegate
Sophie-Charlotten-Straße 4c
14059 Berlin
Tel.: +49 (0)30 390 417-30
E-Mail: berlin@cinagate.de • www.cinagate.de




Size / Height	485 m ² / 8 m
Equipment	400 kW connected load - Fillet over corner - Production- Make-up, Wardrobe and recreation room - Kitchen with dishwasher - WLAN


BERLIN • STUDIO 1

PRG Cinegate is represented at the international film location Berlin with two state-of-the-art studios. Due to its central location, the site offers a very good infrastructure with direct connections to the highway, S-Bahn and bus as well as sufficient parking facilities.

The studio has 485 m² of floor space with a height of eight meters. Due to its proximity to the material warehouse, the studio is particularly suitable for productions that require a high degree of flexibility. Mask rooms, dressing rooms, production rooms, showers, WCs and a kitchen are available. WLAN access is available in the entire studio area. Our experienced team is at your side during the production.




Studio 1 Berlin



Schnitt A-A / Section A-A
Scale: 1:200 @ A4

Studio:
Grundfläche / Area
485 m2
Unterkante Traversen/
Bottom Rigging:
7,36 m



Aufstellung der Stromanschlüsse Studio Berlin

UV Nr.	Location	Anschlüsse	Ampere abgesichert
1	Gate zum LightingDep. An voute lange Seite	2 x CEE 125/400V 5pol	
		1 x CEE 32/400V 5pol	
		1 x CEE 16/400V 5pol	
		Gesamt Absicherung:	3 x 125 A
2	Tür zum CameraDep. an Voute kurze Seite	1 x CEE 125/400V 5pol	
		1 x CEE 63/400V 5pol	
		1 x CEE 32/400 V 5pol	
		3 x CEE 125/230V 3pol	
		6 x CEE 63/230V 3pol	
		3 x CEE 32/230V 3pol	
		Gesamt Absicherung:	3 x 125 A
3	Wand im Bereich rechts neben Loading Gate	1 x CEE 125/400V 5pol	
		1 x CEE 63/400 V 5pol	
		1 x CEE 32/400 V 5pol	
		1 x CEE 16/400 V 5pol	
		Gesamt Absicherung:	3 x 125 A
4	Lade Dock Vorraum Loading Dock	1 x CEE 63/400V 5pol	
		1 x CEE 32/400V 5pol	
		1 x CEE 32/230V 3pol	
		6 x Schuko 16/230V 3pol	
		Gesamt Absicherung:	3 x 50 A
		Studio Gesamt Absicherung:	3 x 375 A

Studio Max. 400A